


# PRESCRIPTION GUIDANCE FOR ENTERAL NUTRITION FROM NESTLE HEALTH SCIENCE

Target value for ICU 1,2,3,4

Target value for a high need 5-10

Target value for a slightly elevated need 5-10

Target value for a health diet / long term



 **Peptamen® Intense** 9,3g  
per  
100 ml **Proteins**

 **Novasource® GI Advance** 9,6g  
per  
100 ml **Proteins**

 **Peptamen® AF** 9,4g  
per  
100 ml **Proteins**

 **Novasource® GI Balance** 6g  
per  
100 ml **Proteins**

 **Isosource® Proteins** 6,7g  
per  
100 ml **Proteins**

 **Isosource® Proteins Fibre** 6,7g  
per  
100 ml **Proteins**

 **Peptamen® HN** 6,6g  
per  
100 ml **Proteins**

 **Novasource® GI Forte** 6g  
per  
100 ml **Proteins**

 **Novasource® GI Control** 4,1g  
per  
100 ml **Proteins**

 **Isosource® Standard** 3,9g  
per  
100 ml **Proteins**

 **Isosource® Standard Fibre** 3,9g  
per  
100 ml **Proteins**

 **Isosource® Energy** 6,1g  
per  
100 ml **Proteins**

 **Isosource® Energy Fibre** 6,1g  
per  
100 ml **Proteins**

 **Isosource® Mix** 4,4g  
per  
100 ml **Proteins**

 **Peptamen®** 4g  
per  
100 ml **Proteins**

# BIBLIOGRAPHY

---

1. McClave SA, et al. Guidelines for the provision and assessment of nutrition support therapy in the adult critically ill patient: Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.). J Parenter Enteral Nutr 2016;40(2):159-211
2. Taylor S, et al. Critical care: Meeting Proteins requirements without overfeeding energy. Clinical Nutrition ESPEN. 2016;11:e55-e62
3. Wakefield S, et al. Specialized oral or enteral nutrition measures in patients with chyle leaks. 34th ESPEN Congress, Barcelona, Spain. 2012;7(1):1-300
4. Kreymann K.G. et al. ESPEN Guidelines on Enteral Nutrition: Intensive care. Clinical Nutrition 2006; 25: 210-223
5. Plauth M. et al. ESPEN Guidelines on Enteral Nutrition: Liver disease. Clinical Nutrition 2006; 25: 285-294.
6. Cano N.J.M. et al. ESPEN Guidelines on Parenteral Nutrition: Adult Renal Failure. Clinical Nutrition 2009;28: 401-414.
7. Bauer J. et al. Evidence-Based Recommendations for Optimal Dietary Proteins Intake in Older People: A Position Paper From the PROT-AGE Study Group. JAMDA 2013; 14: 542-559.
8. Arends J. et al. ESPEN guidelines on nutrition in cancer patients. Clinical Nutrition 2016; Article in Press 1-38.
9. Klek S. et al. Management of acute intestinal failure: A position paper from the European Society for Clinical Nutrition and Metabolism (ESPEN) Special Interest Group. Clinical Nutrition 2016; 35: 1209-1218.
10. Rousseau A-F. ESPEN endorsed recommendations: Nutritional therapy in major burns. Clinical Nutrition 2013; 32 497-502.

**Nestlé Health Science**  
**Avenue Nestlé 55**  
**1800 Vevey**  
**[www.nestlehealthscience.com](http://www.nestlehealthscience.com)**